Scout Report sent out Noted in the NID File					
Location map pinned	I IN UNIT				
Approval or Disapproval Letter	GIN UNIT				
Date Completed, P. & A. or operations suspended					
Pin changed on location map					
Affidavit and Record of A & P	<u> </u>				
Water Shut-Off Test	_				
Gas-Oil Ratio Test	П				
Well Log Filod					
•	91 · · · · · · · · · · · · · · · · · · ·				
r					

ę	
TILE NOTATIONS	
Estarsed in N10 File	Checked by Chief
Intered On S R Sheet	Copy NID to Field Office - Approval Letter
Location Map Finned Card Indexed	Disapproval Letter
IWR for State or Foo 1644	
COMMITTION DATA	Location inspected
Date Wull 5 shelpt 1.2 11010	Bond released
6W (\$ 8\	State of Fee Land
) 1 C / C	FILED
Driller's Log. 212128 Electric Logs (No.)	
	GR GR-N Micro
Lat Mi-L Sc	onic Others
<i>‡</i>	

(SUBMIT IN DUPLICATE)

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING SALT LAKE CITY 14, UTAH

	Fee and Patented
	State
N	Lease No

LAND:

Public Domain]
Lease No. 065815	_
Lease No	•

Indian Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

Notice of Intention to Drill	\dashv	Subsequent Report of Water Shut-off	
------------------------------	----------	-------------------------------------	--

		October 10	, 19. 57
Walker-Hollow U Well No3	nit Brack is located 1034 ft. from ${8}$	line and 223 ft. from	(E) line of Sec31
Se/4 Sec. 31	6S	23 E	Salt Lake
(1/4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)
Walker Hollow	Uintah		<u>Utah</u>
(Field)	(County or S	Subdivision)	(State or Territory)
The elevation of the d	errick floor above sea level is	feet. to be	furnished.

A drilling and plugging bond has been filed with Oil & Gas Conservation. Commission (Opeating under Carter Oil Co. bond)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important work, surface formation, and date anticipate spudding-in.)

We will set approximately 150' 8 5/8" casing and circulate cement, whalliburton, around casing. Drill 7 7/8" hole to test lower Uintah Sands - at about 2900' - or top of Green River. If production is obtained, $5\frac{1}{2}$ " casing will be run. Well will be completed for production through casing perforations.

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Brack Drilling Company, Inc.	£
	- January & Joseph Mr.
Address P. O. Box 575	By Maurice G. Fortin, Sr.
Fort Collins, Colorado	Title Office Manager

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.



~ (+

Brack Drilling Company COMPANY:

WELL NO: Walker Hollow Unit #3

Uintah County, Utah LOCATION:

1034' 1/S line. 233' 1/E line sec. 31, T. 6 S., R. 23 E. Salt Lake Base Meridian

CONTRACTOR: Traugott Drilling Company

DATE SPUDDED: October 17, 1957

Drilling - December 11, 1957 DATE COMPLETED:

Rig Released - December 23, 1957

ELEVATION: 4964 ground 4969 kelly bushing

150' Spang smls. 8 rd., 24#, J-55 csg. landed CASING:

w/ 65 sx reg. cmt., circ. to surf. Size-8 5/8".

2772', 51/2", new, C. F. & I., 8 rd., 14#, J-55 csg. @ 2777KB, with 125 sx. reg. cmt. Plug down 12-15-57.

PERFORATIONS:

2629 to 2643 with 4 jets/foot. 2649 to 2654 with 4 jets/foot.

Measurements taken on gamma ray log.

INITIAL PRODUCTION: 44 MCFPD and 4 gal. wtr./hour.

			X
1			

U. S. MAND OPPICE Salt—Lake—City
Serial Number Um965815
Lease of Permit to Prospect

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

LOCATE WELL C	ORRECTLY				•		_
Company - Brack	- Devi-1-1-1-	K-Gom)enj	Address	-Box 575v-1	t. Collins	y-Cols
Tarres on Theat	TT G			Ligid	TEST BOSTO		
min Brack	Sec T	ca R.	azzMerid	ian Salt-	·Into ····· Coun	Inh AFD ASS.	
	Jan of a	Line and	azzft.	of 12	nue of 260	51 (Derrick)	less relative to describe
Location 3334 1	on given her	ewith is s	complete	and correct	record of the we	ll and all work d	one thereon
so far as can be de	etermined fro	m all ava	ilable reco	rds.	15.77	25 Struck	
			Sign	ned - freeze		sulting Goo	lagist.
Date	on this nage	ia for th	e condition	n of the well	at above date.		
Commenced drilling	og Autob	a w-17	, 19	57 Finishe	ed drilling De	cember 10	, 1957
Commission	9 00 000	OIL	, OR GAS	SANDS U	R ZONES		
			(De	note gas by G	_	40.	
No. 1, from26	29	to264	·5	No. 4,	from	10	
No. 2, from 26				No. 5,	from	to	
No. 3, from					from	to '	
210, 0, 202		. 11	MPORTA	NT WATER	SANDS		
No. 1, from		to			from		
No. 2, from		to		No. 4	from	to	
No. 2, 13011			CASI	ING RECOI	RD		
				Kind of shee	Cut and pulled from	Perforated	Purpos
Shee Weight per Soot	Inch inch per	Make	Amount	Mille of siles		From To-	
	Anna and an	-	11 10	To Bally	attining market	201211	THE PLANT
	(+ III ()	13	2777				THE TOTAL
Ti a of the and	Machinian Land	C. O. M. S. L. S. L.	tale statement	S1277 05 20 120	1100		
3		Н.	STORY C	oil or	CAS WELL	1000	LIN LIN ATHE OF MA
		l			PECOPD	-	
		MUDI	DING AN	D CEMENI	ING RECORD		
Where h	ri Numi	er eachs of o	ement	Method used	Mud gravity	Amount of	
				Hall. P			
6 2/8 3/	0 65 7 125				•		
2							
4/8/A × 1/8				T			

	,			Lengt	L			spth set	
esving plus	78.1 -			Size -					
depters	erial	·	81 1	COTING	RE	CORD			A
		-	lye wood	Quant		Dale	Dopth shet	Dopti	deaned out
-	thell wed			- +					
							*************		J.c.
									The same
				TOOL	US	ED	and from	fee	t tofee
Rotary tools	were used f	rom	WY fe	et to	-500	O- 1001	, and from	fee	t tofee
Apple soom		:		DA	TES	l da nev	ducing		was oil;
		1998 ¹	9		Pu	, 10 pro	of Anid of wh	ich%	was oil;
The pro	duction for	the first	34 hours v	788		arrem	OF HURION WE	26	
emulsion;	% water	; and	% sedime	nt.	ļ		Gravity, 1	on on ft of	
72	rell, cu. ft.	per 24 hou	rs		Ga	lons ga	soline per 1,0	OO GU. 10. OF	gas
TI Res A	ressure, lbs	ner sa. ir	1						
Rock b	!			ENVE	LOY	EES			, Dri
	anns skille (b/b/		, Dr	iller	:				, Dri
	eaflass.		, Dr	iller	1				
So	bertson		F	ORMAT	ION	RECO	RD	RMATION	
72,005		70-	TOTAL	L PRET	<u> </u>				
					1				
	ttached		100 3	report					
500	122 10000	Gomb.	-		Ĭ.				
	li		li.						
÷	i,								
•	li.	~			-				
":.	'		1				•		
	li .		ļ		1			•	
•	Į,								
•			li.						
		,			l,				
	li		li II		1				
	ı		ŀ	•			4448	"~ = 	
	1,						MAR 3	1958	
					ļi,				
	li								
•	1!	•	11		- 11				
	- I		11		الهست سد				16-4

BRACK DRILLING COMPANY, INC.

OIL WELL DRILLING CONTRACTOR

BOX 575
FORT COLLINS, COLORADO

February 28, 1958

7/14

Re: Walker Hollow Well #3 Sec. 31-6S-23E Uintah County, Utah Lease - U-965815

Utah Oil & Gas Conservation Commission Salt Lake City 14, Utah

Attention: Cleon B. Feight, Secretary

Gentlemen:

We are enclosing for your records a copy of USGS Form 9-330, Log of Oil or Gas Well, on captioned well.

Yours very truly,

BRACK DRILLING COMPANY, INC.

Ruth Rittenhouse

Office Secretary

Enc

rr

A STATE TO 1-18-23 har red y June 21, 1961 Bunck Drilling Company, Inc. P. O. Box 575 Fort Collins, Colorado Gantilenen: After checking over the reports submitted on the following vells, we have found that our files are immomplete. According to our records, electric logs have not been filed in accordance with Rule 0-5 (a) of our raise and regulations: Well No. WALKER HOLLOW 3 Sec. 31, T. 6 S., R. 23 E., Vintah County, Utah Well No. WALKER HOLLOW 4 Sec. 6, T. 7 S., R. 23 E., Uintah County, Utah Well No. WALKER HOLLOW 5 Sec. 6, T. 7 S., R. 23 E., Uintah County, Utah Electric legs should have been filed with this Commission within ninety days after the suspension of operations on, abandonment of, or the completion of any wells drilled for the production of oil and gas. Therefore, we are requesting that you furnish us with a copy of all electric logs run on the above-mentioned wells. We noticed in the transmittal letters accompaning the "Log of Oil or Gas Well" for Walker Hollow 4 and 5, that Completion Reports were to have been attached to the logs. However, we do not have copies of said Completion Reports. Therefore, would you send us these reports? Your assistance in this matter will be greatly appreciated. Very truly yours, OIL & GAS CONSERVATION COMMISSION ANN W. CLIMES, RECORDS CLERK AWG:kpb

April 12, 1963

Brack Drilling Company, Inc. P. O. Box 575 Fort Collins, Colorado

> Re: Well No. Walker Hollow #3 Sec. 31, T. 6 S, R. 23 B., Uintah Gounty, Utab

> > Well Mo. Walker Mollow #4 Sec. 6, T. 7 S, R. 23 E., Wintah County, Utah

> > Well No. Walker Mollow #5 Sec. 6, T. 7 S. R. 23 E., Uintah County, Utah

Gentlemen:

1

After checking our files for the above mentioned wells, we note that they are incomplete. According to our records, electric logs have not been filed in accordance with Eule C-5 (a), General Bules and Regulations and Rules of Practice and Procedure, Utah State Oil & Gas Conservation Commission.

Mould you please forward us any copies of electric and/or radioactivity logs that might have been run on these wells. If no logs were run, we would appreciate it very much if you would advise us of this in order that we may complete our files on said wells.

Thank you for your cooperation in this request.

Very truly yours.

OIL & GAS COMSERVATION COMMISSION

CLARILLA N. PRCK RECKEDS CLECK

ALLEN, STOVER AND MITCHELL

ATTORNEYS AT LAW

POUDRE VALLEY NATIONAL BANK BUILDING
FORT COLLINS, COLORADO

WILLIAM H. ALLEN
WILLIAM C. STOVER
EUGENE E. MITCHELL

. . . .

P. O. BOX 533 HUNTER 2-5058

April 29, 1963

Oil & Gas Conservation Commission The State of Utah 310 Newhouse Building 10 Exchange Place Salt Lake City 11, Utah

Attention: Clarella N. Peck, Records Clerk

Re: Well No. Walker Hollow #3
Sec. 31, T. 6 S, R. 23 E.,
Uintah County, Utah

Well No. Walker Hollow #4 Sec. 6, T. 7 S. R. 23 E., Uintah County, Utah

Well No. Walker Hollow #5 Sec. 6, T. 7 S, R. 23 E., Uintah County, Utah

Gentlemen:

The above properties are now owned of record by W. H. Management Co., Inc., of which I am one of the principal officers.

Brack Drilling Company, Inc., to whom you addressed a letter of April 12, 1963, is defunct and inoperative. The former office manager for Brack Drilling Company advises me that the materials you request by your letter of April 12, 1963, have been sent to you long ago. In any event, so far as known to the writer, there are no copies of any of the pertinent data or logs existing or available to W. H. Management.

Oil & Gas Conservation Commission Page 2 April 29, 1963

If there is anything further you wish us to do under the circumstances, please feel free to get in touch with us.

Thanks.

Eugene E. Mitchell

Pussident of

WH Myst Co.

EEM: gs

(SUBMIT IN DUPLICATE)

i

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING SALT LAKE CITY 14, UTAH

Fee and Patented
State
Lease No
Public Domain
Lease No. 06515
Indian
Lease No

LAND:

SUNDRY NO	TICES AN	D REPO	ORTS ON '	WELLS		
Notice of Intention to Drill		Subsequen	t Report of Wate	r Shut-off	-	
Notice of Intention to Change Plans		Subsequen	t Report of Alteri	ing Casing	-	
Notice of Intention to Redrill or Repa	ir	Subsequen	t Report of Redri	illing or Repair	Ļ	
Notice of Intention to Pull or Alter C	asing			y		
Notice of Intention to Abandon Well.		X			-	
(INDICATE AB	OVE BY CHECK MARK NA	TURE OF REPORT, NO	OTICE, OR OTHER DATA)			
		June 14 , 19 71				
Well No#3 is located	ft, from {	${S \atop S}$ line and	ft. from	$\left\{ egin{array}{l} \mathbf{E} \\ \mathbf{W} \end{array} ight\}$ line of Sec		
C - SE 31 (% Sec. and Sec. No.)	6 S		23-E	(Maridian)		
(1/4 Sec. and Sec. No.)	(Twp.)		(Range)	(Menuiau)		
Walker-Hollow (Field)	Ulntan (Count	y or Subdivision)		(State or Territory)	••	
The elevation of the derrick floor a						
A drilling and plugging bond has be	een filed with		•••••	•		
	DETAIL	s of work				
(State names of and expected depths to o jobs, cementing points, and all other important	bjective sands; sho ortant work, surfac	w sizes, weights, ce formation, and	and lengths of prop I date anticipate spu	osed casings; indicate muddir adding-in.)	ıg	
TD 3060						
Elev. 4961 G.L.		Plug and a	abandon acco	rding to		
Lease #06515	•	U.S.G.S. s	specificatio	ns		
8 5/8" 150 '						
5½" 2795.50°						
I understand that this plan of work must	t receive approval i	in writing by the	Commission before	operations may be commence	ed.	
Company W-H Managemen	t Co., Inc.	O	./	\cap		
Address P. O. Box 608		Bytonia	W B Mar	enury		
Fort Collins, C	010., 80.631			/		

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

Branch of Oil and Gas Operations 8416 Federal Building Salt Lake City, Utah 84111

June 22, 1971

Mr. Henry B. Brack W-H Management Co., Inc. P. O. Box 608 Fort Collins, Colorado 80521

> Re: Well No. 3 Walker Hollow unit SEL sec. 31, T. 6 S., R. 23 E., S.L.M. Uintah County, Utah lease Salt Lake City 065815

Dear Mr. Brack:

In accordance with your telephone call of June 21, 1971, the following plugging procedure was supplied to Mr. Pilcher of Colorado Well Service Company in Rangely:

Plug 1 2600-2520' 10 sx.

Plug 2 casing stub 35 sx.

(calculated cement top behind 5½' is about 2250')

Plug 3 140' up 35 sx.

Marker w/5 sx. if cemented.

Mud between plugs.

The marker should show:

Brack Drlg Co 3 WHU FED SE 31 6S 23E

Sincerely,

Gerald R. Daniels District Engineer

cc: Colorado Well Service P. O. Box 673 Rangely, Colorado 81648 Utah Div. O&G Cons.

Humble Oil & Refining P. O. Box 120 Denver, Colorado 80201

Branch of Oil and Gas Operations 8416 Federal Building Salt Lake City, Utah 84111

December 30, 1971

W. H. Management Co., Inc. P. O. Box 608 Fort Collins, Colorado 80521

Re: Well No. 2 Walker Hollow unit
C SEk sec. 7, T. 7 S., R. 23 E., S.L.M., and
Well No. 3 Walker Hollow unit
C SEk sec. 31, T. 6 S., R. 23 E., S.L.M.
Uintah County, Utah

Gentlemen:

This office approved Notices of Intention to Abandon the referenced wells on June 21, 1971.

Please advise this office by January 10, 1972, whether or not the work has been performed.

Sincerely,

Gerald R. Daniels District Engineer

cc: State Div. O&G Cons.

January 18, 1972

W.H. Management, Inc. Box 608 Fort Collins, Colorado 80631

Re: Well No. Walker Hollow No. 2
Sec. 7, T. 7 S, R. 23 E,
Well No. Walker Hollow No. 3
Sec. 31, T. 6 S, R. 23 E,
Uintah County, Utah

Gentlemen:

This letter is to advise you that the Subsequent Report of Abandonment and Plugging of the above referred to wells is due and has not yet been filed with this office.

Rule D-2, General Rules and Regulations and Rules of Practice and Procedure, requires that said reports be filed within thirty (30) days after the plugging of any well has been accomplished.

It would be appreciated if the above reports were forwarded as soon as possible.

Very truly yours,

DIVISION OF OIL AND GAS CONSERVATION

SCHEREE DEROSE SUPERVISING STENOGRAPHER

U ED STATES SUBMIT IN TRI (Other Instructio DEPARTME OF THE INTERIOR verse side) GEOLOGICAL SURVEY	Form approved. Budget Bureau No. 42-R1424. 5. LEASE DESIGNATION AND SERIAL NO.		
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
1. OIL GAS WELL X OTHER 2. NAME OF OPERATOR EXXON Corporation	7. UNIT AGREEMENT NAME Walker Hollow 8. FARM OR LEASE NAME Brack (0671 Utah) 9. WELL NO.		
Box 1600, Midland, Texas 79701 1. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface	3 10. FIELD AND POOL, OR WILECAT Walker Hollow 11. SEC., T., R., M., OR BER. AND SURVEY OR AREA SE Sec. 31-6S-23E		
14. PERMIT NO. 15. ELEVATIONS (Show whether bf, Rr, GR, etc.)	12. COUNTY OR PARISH 13. STATE Uintah Utah		
16. Check Appropriate Box To Indicate Nature of Notice, Report, or C	ther Data		
TEST WATER SHUT-OFF PRACTURE TREAT MULTIPLE COMPLETE SHOOT OR ACIDIZE REPAIR WELL (Other) Mark & Rehabilitate old Loc. X The secretary ment of this work. If well is directionally drilled, give subsurface locations and measured and true vertical ment to this work. Install DSA Marker & Rehabilitate location to EPA Specs. APPROVED BY DIVISION OF OIL & GAS CONSERVALOR FEB 19 1974 DATE BY C. D. WATER SHUT-OFF FRACTURE TREATMENT SHOOTING OR ACIDIZE FRACTURE TREATMENT SHOOTING OR ACIDIZE (Other) (Other) (NOTE: Report results Completion or Recompletion of Re	The properties of the properti		
18. I hereby certify that the foregoing is true and correct SIGNED TITLE Unit Head	ncountry of a service of a serv		

TITLE _

(This space for Federal or State office use)

APPROVED BY _______CONDITIONS OF APPROVAL, IF ANY:

Ferin 9-331 (May 1963)	DEDAG	UN S	TATES	SUBMIT IN	TRIPY TO	Buaget B	ureau No. 42-R1424.		
DEPARTMEN F THE INTERIOR (Other Instruction)						SLC-0658	5. LEASE DESIGNATION AND SERIAL NO.		
SUNDRY NOTICES AND REPORTS ON WELLS							6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
		OTICES AND operation for the control of the control			eservoir.				
/ 1. /		<u> </u>				7. UNIT AGREEMEN	T NAME		
ONL GAS WELL	. 🗓 отне	· ,					Walker Hollow		
2. NAME OF OPERATOR		11 1	na.			8. FARM OR LEASE			
Exxon Cor	-	W-H	Maur	uner		Brack (00	571 Utah)		
BOX 1600		l Towns 7	9701	•		9. WELL NO.			
4. LOCATION OF WELL		•		State requirements.	•	10. FIELD AND POO	L, OR WILDCAT		
See also space 17 b At surface	elow.)	•		•		Walker Ho	Walker Hollow		
			_	•		11. SEC., T., R., M., SURVEY OR	OR BLK, AND		
			· · ·		• "				
				·····		SE, Sec. 31-6S-23E			
14. PERMIT NO.		15. ELEVATIONS	S (Show whether DF	, RT, GR, etc.)		Uintah			
	···	<u> </u>				Uncan	Utah		
16.	Check	Appropriate Box	To Indicate N	lature of Notice,	, Report, or (Other Data			
	NOTICE OF IN	TENTION TO:		1	SUBSEC	QUENT REPORT OF:			
TEST WATER SHUT	-off	PULL OR ALTER C	ABING	WATER SHUT	r-off	REPAIRI	NG WELL		
FRACTURE TREAT		MULTIPLE COMPL	ETE	PRACTURE TI	REATMENT	ALTERIN	G CABING		
SHOOT OR ACIDIZE		ABANDON*		SHOOTING OF	R ACIDIZING	ABANDO	MENT* X		
REPAIR WELL		CHANGE PLANS		(Other)	: Report result	s of multiple complet	ion on Well		
(Other)		oppositions (Closele	etata all partinan	Comple	etion or Recom	pletion Report and Lo	g form.)		
17. DESCRIBE PROPOSED proposed work. nent to this work	If well is dir	ectionally drilled, giv	e subsurface local	tions and measured	and true verti	cal depths for all man	kers and sones perti-		
	•								
_									
D	&A Marker	Set 5-15-74	+ .						
				_					
				•					
							•		
					•				
			•			•			
				•					
				* .					
		4 * - 4					The second secon		
		•							
				•					
•									
		•							
					•	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
18. I hereby certify th	at the foregoin	g is true and corre	et .				· · · · · · · · · · · · · · · · · · ·		
SIGNED	Jun	six	TITLE	Unit He	ead	DATE Jur	ne 24, 1974		
(This space for Fe	deral or State	office use)							

TITLE